

Issued Date: 08/12/2010

Joann Fischer
Berkley Group, LLC
10612 D Providence Road, PMB 742
Charlotte, NC 28277

** DETERMINATION OF NO HAZARD TO AIR NAVIGATION **

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure:

Antenna Tower Catawba College

Location:

Salisbury, NC

Latitude:

35-41-35.55N NAD 83

Longitude:

80-29-08.29W

Heights:

190 feet above ground level (AGL)

848 feet above mean sea level (AMSL)

This aeronautical study revealed that the structure does not exceed obstruction standards and would not be a hazard to air navigation provided the following condition(s), if any, is(are) met:

It is required that FAA Form 7460-2, Notice of Actual Construction or Alteration, be completed and returned to this office any time the project is abandoned or:

	At least 10 days prior to start of construction (7460-2, Part I)
X	Within 5 days after the construction reaches its greatest height (7460-2, Part II)

Based on this evaluation, marking and lighting are not necessary for aviation safety. However, if marking and/or lighting are accomplished on a voluntary basis, we recommend it be installed and maintained in accordance with FAA Advisory circular 70/7460-1 K Change 2.

This determination expires on 02/12/2012 unless:

- (a) extended, revised or terminated by the issuing office.
- the construction is subject to the licensing authority of the Federal Communications Commission (FCC) and an application for a construction permit has been filed, as required by the FCC, within 6 months of the date of this determination. In such case, the determination expires on the date prescribed by the FCC for completion of construction, or the date the FCC denies the application.

NOTE: REQUEST FOR EXTENSION OF THE EFFECTIVE PERIOD OF THIS DETERMINATION MUST BE E-FILED AT LEAST 15 DAYS PRIOR TO THE EXPIRATION DATE. AFTER RE-EVALUATION OF CURRENT OPERATIONS IN THE AREA OF THE STRUCTURE TO DETERMINE THAT NO

ELIGIBLE FOR ONE EXTENSION OF THE EFFECTIVE PERIOD.

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights, and frequencies or use of greater power will void this determination. Any future construction or alteration, including increase to heights, power, or the addition of other transmitters, requires separate notice to the FAA.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of the structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

This determination concerns the effect of this structure on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

A copy of this determination will be forwarded to the Federal Communications Commission (FCC) because the structure is subject to their licensing authority.

If we can be of further assistance, please contact our office at (847) 294 8084. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2010-ASO-3370-OE.

Signature Control No: 127974844-129372980

(DNE)

Carole Bernacchi
Technician

Attachment(s)
Frequency Data

cc: FCC

rrequency Data Ior Adm 2010-Ado-33/0-OE

LOW FREQUENCY	HIGH FREQUENCY	FREQUENCY UNIT	ERP	ERP UNIT
806	824	MHz	500	W
800 824	849	MHz	500	\mathbf{W}
824 851	866	MHz	500	W
	894	MHz	500	\mathbf{W}
869 806	901	MHz	500	W
896	902	MHz	7	W
901	931	MHz	3500	\mathbf{W}^{r}
930	932	MHz	3500	W
931	932.5	MHz	17	dBW
932	940	MHz	1000	W
935	941	MHz	3500	\mathbf{W}
940	1910	MHz	1640	\mathbf{w}
1850	1910	MHz	1640	\mathbf{W}
1930		MHZ	2000	\mathbf{W}
2305 2345	2310 2360	MHZ	2000	\mathbf{W}